## See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US EPA ID No. C  AD  0  8  6  5  1  0  0  0  5	Manifest Document No.		2. Page 1	Information in the shaded areas is not required by Federal law.	
Generator's Name and Mailing Address     Douglas Aircraft Company, C1-C     3855 Lakewood Blvd. Long Beace	16C (11-11) Attn: Rob Tuell			Manifest Documen	t Number	5462889
4. Generator's Phone (310) 496-6287			B. State	Generator's ID	SIDID	SIBIOIRI
5. Transporter 1 Company Name	6. US EPA ID Number		C. State	Transporter's ID	<i></i>	
Laidlaw Environmental Services	200 2 3 3 200 30 30 30 30 30	83121	D. Trans	porter's Phone	(31	<i>7/ 775115</i> 0) 518- 4700
7. Transporter 2 Company Name	8. US EPA ID Number		E. State	Transporter's ID		
0.00		1111		porter's Phone		
9. Designated Facility Name and Site Address U.S. Ecology Highway 95, 12 Miles south of & Beatty, NV 88003	10. US EPA ID Number Reatly : NV N/V(TBBDD)	9999		Facility's ID	<u>                                     </u>	2) 553-2503
11. US DOT Description (including Proper Shippi	ing Name, Hazard Class, and ID Number)	12. Con	tainers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
RQ, Waste environmentally h		901	GM	16500		State 261 EPA/Other POSS
<b>b.</b>			1			State EPA/Other
<b>c</b> .			1			State *** EPA/Other
d.			<u> </u>			State EPÄ/Other
J. Additional Descriptions for Materials Listed Ab 11a, 070-12-44-11, PCB contamin transformer 6	ove ated debris from splil clean up o 11-J- 24. Out of service on 05/27/		K. Hand	ing Cades for Wast	es Listed Ab	OVE.
15. Special Handling Instructions and Additional 24 Hour emergency telepho Site address: 19503 South N	ne number ( 800) 424- 9300 Iormandie Avenue, Torrand	ė, CA 908	02.			
If I am a large quantity generator, I certify economically practicable and that I have sele	respects in proper condition for transport by high that I have a program in place to reduce the ected the practicable method of treatment, storag OR, if I am a small quantity generator, I have	way according to volume and toxici ae, or disposal cu	applicable ty of was rrently av	international and r e generated to the allable to me which	degree I h	ernment regulations.  ave determined to be
Printed/Typed Name Robert G. Tuell, Jr.	Signature	1 4.0	1	00 n	Mont	h Day Year
17. Transporter 1 Acknowledgement of Receipt of Printed/Typed Name	f Materials Signature	eg meneral e cod	<del>-1464</del>		Mont	h Day Year
18. Transporter 2 Acknowledgement of Receipt of	Materials	////	Comment of the Second	mark Com	0/	11095
Printed/Typed Name	Signature		20		Mont	h Day Year
19. Discrepancy Indication Space					*   ****   <sub>2</sub>	<u> </u>
20. Facility Owner or Operator Certification of re Printed/Typed Name	ceipt of hazardous materials covered by this man Signature	ifest except as no	ted in Iten	1.19.	Mont	h Day Year

DO NOT WRITE BELOW THIS LINE.

E CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESP

## PCB MANIFEST CONTINUATION SHEET

P. 02

그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그			· 建氯化物 (1) 1. 1 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
STATE MANIFEST DOCUMENT	— Ser Landon Serina de Ser la tradición de la companya del companya de la companya de la companya del companya de la companya del la companya de la comp		
1 LAIP RARBIECT TOMILARES		■ Long to the Clark to the first term of the control of the c	
	NICH TOOO INC	11 Jaco	4 E. S.
	INDIA (AMAAAA)	MARXX7	PAGE / OF /
이 다른 사람들은 함께 가는 사람들이 되었다. 그는 사람들은 사람들은 사람들은 사람들이 되었다. 그는 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은			

RES WASTE STREAM NUMBER	(2) GENERATOR'S UNIQUE IDENTIFYING NO. (Maximum 10-Digita)	(3) TYPE OF PCB WASTE	(4) DATE OF REMOVAL FROM SERVICE FOR DISPOSAL	OF (5) WEIGHT
770-12-44-11	RIGI	contempated Wires	05/2/95	
070-12-44-11	15 003	Concrete/so. Lileyis	05/27/95	7,855 Kg
		- The state of the CERS	G5/27/43	8,645 kg
	•			
•••		755 ·	-	
•				
•				
•				
		-		
		-		
		-		
		•		
	-			
-				
-				
			-	
	· · · · · · · · · · · · · · · · · · ·			

<sup>Three (3) photocopies shall be made of this continuation sheet to accompany the manifest.
See reverse side if additional space is necessary.</sup>